



OL Academy

# ITCS214

## Data Structures

# Array List

free

All methods with brief explain through drawing . Examples . solve questions from previous exams  
ملخص لجميع الميثود مع التوضيح من خلال الرسم . أمثلة متعددة . أسئلة محلولة من امتحانات سابقة

This note is copyrighted material for enrolled students only, may not be sold or distributed in any form.

جميع الحقوق محفوظة، هذه المذكرة مخصصة حصرياً للطلاب المسجلين معنا، لا يجوز بيعها أو تداولها بأي طريقة كانت.

Non-enrolled users may purchase access through our website.

إذا كنت غير مسجل معنا يمكنك شراء المذكرة من خلال موقعنا الإلكتروني.

لتنزيل المذكرة

[itcs214.olearninga.com](http://itcs214.olearninga.com)

## ArrayList :

- In java there is a built-in class called **ArrayList**.
- To import this class: `import java.util.ArrayList;`
- To create an ArrayList object called **list** that will store **Integer**:  
`ArrayList<Integer> list = new ArrayList <Integer> ();`

or

```
ArrayList<Integer> list = new ArrayList <> ();
```


or simply

```
ArrayList<Integer> list = new ArrayList();
```

*In the ArrayList class we have the following methods:*

### 1. int size ( )

This method return the actual number of elements in the list.




```
int s = list.size();
```

4


## 2. boolean isEmpty ( )

This method to check whether the list is empty or not.



```
boolean l1= list.isEmpty();
```

true




```
boolean l2= list.isEmpty();
```

false

### 3. boolean add (E item)


E means generic data type like (int, double,...)

It add item at the end of the list, and always returns true.






### 4. void add (int index, E item)

This method adds item at the location index.





## 5. E set (int index, E item)

Replace the element at position index with item and return the old value.




## 6. E get (int index)

Returns the element at the position index.



## 7. indexOf (E item)

Searches for item in the list and returns the position of the first occurrence, or -1 if it is not found in the list.



item

```
int item1 = list.indexOf(10);
```

0

first occurrence of the item in the list

```
int item2 = list.indexOf(30);
```

2


the item not found in the list

```
int item3 = list.indexOf(100);
```

-1


## 8. E remove (int index)

Removes the element at the given index and return it.



## 9. boolean remove (E item)

This method remove the first occurrence of the item from the list and return true.




Remove with the argument (Integer), which is Integer object. This is necessary because the remove method takes an object as an argument, not a primitive int.

first occurrence of the item

```
boolean i1 = list.remove((Integer)1);
```


true



or another way:

```
boolean i2 = list.remove((Integer.valueOf(1)));
```

true



```
boolean i3 = list.remove((Integer)2);
```

false

item not found

**(1) What is the output of the following code?**

```
import java.util.ArrayList;
public class Test {
    public static void main(String[] args) {

        ArrayList<Integer> list = new ArrayList<>();
        System.out.println(list.isEmpty());
        list.add(7);
        list.add(3);
        list.add(4);
        list.add(6);
        list.add(0,7);
        list.set(2,list.indexOf(7));
        list.remove(1);
        for (int i=0; i<list.size(); i++)
            System.out.println(list.get(i));

    }
}
```

**Output**

```
true
7
0
4
6
```

## (2) What is the output of the following code?

```
ArrayList<Integer> list = new ArrayList<>();
for (int i=0; i<4; i++)
    list.add(i,i+1);

System.out.println(list.get(1));
System.out.println(list.size());
list.set(1,100);
list.add(1,100);
list.remove((Integer)1);
for(int i=0; i<list.size(); i++)
    System.out.print(list.get(i) + "\t");
```

Output			
2			
4			
100	100	3	4